




DVB-T Features

Automatic/manual channel search
COFDM demodulator
Supports remote control
RS-232 serial port for software upgrade
NTSC/PAL converting automatically and manually
EPG (Electronic Program Guide) and Teletext function
Multiple Language OSD (English, French, German, Italian, Spanish, Portuguese and Dutch)
Channel edit, moving and deletion
9-channel surf
Parental lock control
SDTV only
Supports subtitle
ETSI EN300 744 DVB-T Compliance

MODEL NUMBER		QLT26B01	QLT32B01	QLT42B01
PICTURE				
UNIT PRICE		USD\$470/PC FOB SHENZHEN	USD\$588/PC FOB SHENZHEN	USD\$1040/PC FOB SHENZHEN
COSMETIC	size of the screen(inch)	26INCH	32INCH	42INCH
	Cabinet Color	SILVER/BLACK	SILVER/BLACK	SILVER/BLACK
	Desktop Base	YES	YES	YES
	Swivel Base	NO	NO	NO
	Panel Tilt	NO	NO	NO
	Wall Mounting	OPTIONAL	OPTIONAL	OPTIONAL
Panel Spec.	Name of the matrix	TFT	TFT	TFT
	Pixel Pitch(mm)	0.4365	0.519	0.681
	Aspect ratio	16:9	16:9	16:9
	Max. Resolution	1366*768	1366*768	1366*768
	Brightness (cd/m2)	500	450	500
	Contrast	800:1	1000:1	1200:1
	View Angle	H:176°, V:176°	H:17°, V:176°	H:178°, V:178°
	Response Time (ms)	8	8	8
	Display Colours	16.7M	16.7M	16.7M
TV SYSTEM	Built-in Tuner	YES	YES	YES
	Channel Program	Receiving VHF,UHF 200 channels	Receiving VHF,UHF 200 channels	Receiving VHF,UHF 200 channels
	Color System	PAL/SECAM/NTSC	PAL/SECAM/NTSC	PAL/SECAM/NTSC
	Sound System	BG,DK,I,L'	BG,DK,I,L'	BG,DK,I,L'
	Stereo System	OPTIONAL (NICAM/A2/BTSC)	OPTIONAL (NICAM/A2/BTSC)	OPTIONAL (NICAM/A2/BTSC)
AUDIO SYSTEM	Amplifier	2*10W	2*10W	2*10W
	Sound Mode	News/User/Normal/Movie	News/User/Normal/Movie	News/User/Normal/Movie
VIDEO	Progressive Scan	YES	YES	YES
	Picture Status Memory	YES	YES	YES
	Picture Mode	Normal/User/Vivid/Soft	Normal/User/Vivid/Soft	Normal/User/Vivid/Soft
	16:9 and 4:3 two screen size for selection (ARS) for watching	YES	YES	YES

TERMINALS	Antenna Input	1 REAR	1 REAR	1 REAR
	VGA input	1 REAR	1 REAR	1 REAR
	S-Video Input	1 REAR	1 REAR	1 REAR
	AV1	1 X 3REAR	1 X 3REAR	1 X 3REAR
	AV2	1 X 3REAR	1 X 3REAR	1 X 3REAR
	HDMI	1 REAR	1 REAR	1 REAR
	AUDIO IN	1 REAR	1 REAR	1 REAR
	Ypb Pr or Ycb Cr (Component)	2 X 3REAR	2 X 3REAR	2 X 3REAR
	Earphone output	1 REAR	1 REAR	1 REAR
Functions	HDTV ready	YES	YES	YES
	PC Resolution	VGA/SVGA/XGA/WXGA	VGA/SVGA/XGA/WXGA	VGA/SVGA/XGA/WXGA
	Black/White/Blue/Green stretch	YES	YES	YES
	Digital Comb filter	3D	3D	3D
	Timer off	YES	YES	YES
	Timer on	YES	YES	YES
	OSD Menu Language	OPTIONAL	OPTIONAL	OPTIONAL
Additional Function	PIP / POP / Split screen	YES	YES	YES
	Noice reduction	YES	YES	YES
POWER CONSUMPTION	Standby power consumption	140W	165W	240W
	Voltage/Frequency	AC100-240v, 50-60Hz	AC100-240v, 50-60Hz	AC100-240v, 50-60Hz
	Power consumption	≤3	≤3	≤3
ACCESSORIES	Instruction Book	YES	YES	YES
	Warranty Registration Card	YES	YES	YES
	Remote Control	YES	YES	YES
	Batteries for RC	YES	YES	YES
	AC Plug	YES	YES	YES
	Instruction Book	YES	YES	YES
REGULATORY STANDARDS	CE	YES	YES	YES
	ROHS	YES	YES	YES
PACKING	CARTON BOX DIMENSION (mm)	765x330x650	905x325x670	1150x400x860
Container Load(20/40/40H)	40HQ: (pcs)	430	345	170
	40GP: (pcs)	374	306	141
	20GP: (pcs)	179	140	60
Weight(Kg)	Net (kg)	18	22.5	30
	Gross (kg)	20.5	26	34
REMARK				